



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 6475781
Procuring Entity PLARIDEL WATER DISTRICT
Title Reagent for Chlorine Residual Testing (1200test/pack)
Area of Delivery Bulacan

Solicitation Number: PLAWD 2019-09-057	Status	Pending
Trade Agreement: Implementing Rules and Regulations	Associated Components	2
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification: Goods	Document Request List	0
Category: Water and Waste Water Treatment Supply & Disposal	Date Published	19/09/2019
Approved Budget for the Contract: PHP 215,310.00	Last Updated / Time	18/09/2019 10:26 AM
Delivery Period: 7 Day/s	Closing Date / Time	25/09/2019 13:00 PM
Client Agency:		
Contact Person: Jim Benzon R. Talavera BAC SECRETARIAT A. C. Reyes St., Poblacion, Plaridel Bulacan Philippines 3004 63-044-7950102 Ext.103 63-044-7600229 plaridelwaterdistrictbac2017@gmail.com		

Description

DATE:

PR No. ENG PRO 2019-32

Please quote your lowest price on the item/s listed below, subject to the General Conditions, stating the shortest time of delivery and submit your quotation duly signed by your authorized representative.

NOTE:

- 1) The approved budget for the contract is ₱215,310.00
- 2) All entries must be filled up as much as possible. .
- 3) Service/Delivery period is within seven (7) calendar days.
- 4) Warranty shall be for a period of three (3) months for supplies and one (1) year for equipment from date of acceptance by the procuring entity.
- 5) Price validity shall be for a period of _____ calendar days.
- 6) PHILGEPS registration certificate shall be attached upon submission of the quotation.
- 7) Bidders shall submit original brochures showing certifications of the product being offered.
- 8) The bidder shall give sample/s of the item/s quoted.
- 9) The bidder shall bear the delivery/return cost of the sample/s.

PURPOSE: Reagent for Chlorine Residual Testing (1200test/pack)

RODOLFO S. SURIO
**CERTIFIED
TRUE COPY**

ITEM NO. QTY/UNIT DESCRIPTION UNIT COST TOTAL COST
 1) 11 packs/boxes Reagent for chlorine (C12) residual testing
 > 1200 test per pack/box
 > Category No. 1.00598
 > Range: 0.010 - 6.00 mg/l Cl₂
 > DPD (N,N-diethyl-p-phenylenediamine) based method
 > Can be used with Spectroquant® Move colorimeter

Terms and condition:

1. Participating bidders shall submit readable brochures with technical data subject for evaluation and acceptance of the end user.
 *****nothing follows*****

PLARIDEL WATER DISTRICT
 Plaridel, Bulacan
 BAC CHECKLIST

- 1) Participating bidders shall submit samples/brochures of the item/s being quoted for evaluation and acceptance of the end-user.
- 2) All payments will be deducted by TAX
 Please check the following:
 For Goods For Services
 (VAT) (VAT)
 5% BIR Form 2306 5% BIR Form 2306
 1% BIR Form 2307 2% BIR Form 2307
 (NON-VAT) (NON-VAT)
 3% BIR Form 2306 3% BIR Form 2306
 1% BIR Form 2307 2% BIR Form 2307
- 3) Subject to retention money equivalent to 10% of the contract price.
 The retention money period will be released after the warranty period of three months or when the items are consumed whichever comes first
- 4) Brand/Model:
- 5) Delivery Period:
- 6) Warranty Period:
- 7) Price Validity:
- 8) Terms of Payment:
- 10) Mode of payment:
- 11) CHECK PAYABLE TO:
- 12) Company Name:
- 13) Company Address:
- 14) Contact person:
- 15) Contact Number:
- 16) Email Address:
- 17) Tin Number:
- 18) Certificate of Registration (BIR)
- 19) Warranty Certificate
- 20) Availability of Stocks items available as of (Date)

Created by Jim Benzon R. Talavera

Date Created 17/09/2019

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

Jim Benzon R. Talavera
 RODRIGUEZ S. JURIO
 CERTIFIED
 TRUE COPY